

PERSONAL THATCH QUESTIONNAIRE											
DETAILS OF INS	URED										
Full name					Policy number						
Full risk address	S										
					Postal cod	le					
FIRE DIGI						_					
FIRE RISK											
Fire brigade											
Town					Distance from premi	ses		km			
Smoke detector	rs YES	NO	Are t respo		onitored alarm system with	emergency	YES	NO			
When last were	they mainta	ained and	l serviced (I	DD/MM/YYYY)							
Lightning condu	uctors										
Does the building		roved ligh	ntning cond	uctors YES NO	Date when last service	d					
Water supplies											
Municipal wate	r supplies	YES	NO	If NO, what other supplie	es are there						
Dedicated fire h	nose reels	YES	NO	When last were they mai	ntained and serviced						
Fire hydrants		YES	NO	If YES, please provide full	details						
Manual drenche	er	YES	NO	Automatic drencher	YES NO						
When last was the drencher system maintained and serviced											
Is there enough water supply and pressure to wet the thatch roofing and YES NO											
surrounding are											
If NO, please pr	ovide details	s of meas	ures taken	to protect the roofing and	surrounding areas						
Fire extinguishe	ers										
Т	Туре		Nι	ımber	Capacity	Other					
Kitchen											
Upstairs											
Other											
Last service date				Available	YES	NO					
Are they installed in easily visible and accessible positions YES NO											
If NO, please pr	ovide details	S									



Fire blanket YES NO Date installed Certificate YES NO Thatchsayf YES NO Date installed Certificate YES NO Thatchsayf YES NO Date installed Certificate YES NO Thatchbor YES NO Date installed Certificate YES NO Thatch Guard YES NO Date installed Certificate YES NO Thatch Guard YES NO Date installed Certificate YES NO Thatch Agard YES NO Date installed Certificate YES NO Thatch Agard YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Other type YES NO Other type YES NO If YES, please provide details Does the building and/or lapa and/or braai area have one or more chimney(s) YES NO If YES, please provide full details Does the chimney penetrate the thatch roof YES NO If YES, please provide full details Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Public liability and spread of fire risk Please detail the surrounding area North East South								
Sisalation YES NO Date installed Certificate YES NO Thatchsayf YES NO Date installed Certificate YES NO Thatchsayf YES NO Date installed Certificate YES NO Thatch Dourd YES NO Date installed Certificate YES NO Thatch Dourd YES NO Date installed Certificate YES NO Date installed Certificate YES NO Thatch Marshall 8000 YES NO Date installed Certificate YES NO Thatch Marshall 8000 YES NO Date installed Certificate YES NO Date installed Certificate YES NO Thatch Marshall 8000 YES NO Date installed Certificate YES NO Date installed YES, please provide details Chimneys Does the building and/or lapa and/or braai area have one or more chimney(s) YES NO If YES, please provide full details Does the chimney penetrate the thatch roof YES NO If YES, please provide full details Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details	Fire retardants							
Thatchbary YES NO Date installed Certificate YES NO Thatchbor YES NO Date installed Certificate YES NO Thatch Guard YES NO Date installed Certificate YES NO Date installed YES, please provide details CChimneys Does the building and/or lapa and/or braai area have one or more chimney(s) YES NO Date the chimney penetrate the thatch roof YES, please provide full details Are the chimneys fitted with spark arrestors and/or wire mesh YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys maintained on a regular basis YES NO DATE the chimneys The chimn	Fire blanket	YES	NO	Date installed	Ce	ertificate	YES	NO
Thatchbor YES NO Date installed Certificate YES NO Thatch Guard YES NO Date installed Certificate YES NO Date installed YES, please provide details Chimneys Does the building and/or lapa and/or braai area have one or more chimney(s) YES NO Date the chimney penetrate the thatch roof YES, please provide full details Does the chimney penetrate the thatch roof YES NO Date the chimneys maintained on a regular basis YES NO Date the chimneys Test No Date the chimneys Test No Date the Chimneys NO Date the chimneys NO Date the chimneys NO Date the chimneys NO	Sisalation	YES	NO	Date installed	Ce	ertificate	YES	NO
Thatch Guard YES NO Date installed Certificate YES NO Date installed Certificate YES NO Thatch Marshall 8000 YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Date installed Terminal YES NO Other type YES NO Date installed Terminal YES NO Other type YES NO OTHER	Thatchsayf	YES	NO	Date installed	Ce	ertificate	YES	NO
Supercote YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type yes the chimney penetrate the thatch roof YES NO Other the chimney fitted with spark arrestors and/or wire mesh YES NO Other the chimneys maintained on a regular basis YES NO Other the chimneys maintained on a regular basis YES NO Other there any fireplaces installed and are these fuelled by solid fuels (e.g., wood) YES NO Other there any fireplaces installed and are these fuelled by solid fuels (e.g., wood) YES NO Other there are the chimneys maintained on a regular basis YES NO Other there are the chimneys maintained on a regular basis YES NO Other there are the chimneys maintained on a regular basis YES NO Other there are the chimneys maintained on a regular basis YES NO Other there are the chimneys maintained on a regular basis YES NO Other type YES NO OTH	Thatchbor	YES	NO	Date installed	Ce	ertificate	YES	NO
Thatch Marshall 8000 YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type YES NO Date installed Certificate YES NO Other type See the building and/or lapa and/or braai area have one or more chimney(s) YES NO Other type provide full details Does the chimney penetrate the thatch roof YES NO Other type penetrate the thatch roof YES	Thatch Guard	YES	NO	Date installed	Ce	ertificate	YES	NO
Other type YES NO Date installed Certificate YES NO If YES, please provide details Chimneys Chimneys Does the building and/or lapa and/or braai area have one or more chimney(s) YES NO If YES, please provide full details Does the chimney penetrate the thatch roof YES NO If YES, please provide full details Are the chimneys fitted with spark arrestors and/or wire mesh YES NO Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO Public liability and spread of fire risk Please detail the surrounding area North East South West	Supercote	YES	NO	Date installed	Ce	ertificate	YES	NO
Chimneys Does the building and/or lapa and/or braai area have one or more chimney(s) If YES, please provide full details Does the chimney penetrate the thatch roof YES NO If YES, please provide full details Are the chimneys fitted with spark arrestors and/or wire mesh Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Public liability and spread of fire risk Please detail the surrounding area North East South West	Thatch Marshall 8000	YES	NO	Date installed	Ce	ertificate	YES	NO
Chimneys Does the building and/or lapa and/or braai area have one or more chimney(s) If YES, please provide full details Does the chimney penetrate the thatch roof YES NO If YES, please provide full details Are the chimneys fitted with spark arrestors and/or wire mesh YES NO Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Public liability and spread of fire risk Please detail the surrounding area North East South West	Other type	YES	NO	Date installed	Ce	ertificate	YES	NO
Does the building and/or lapa and/or braal area have one or more chimney(s) If YES, please provide full details Does the chimney penetrate the thatch roof YES NO If YES, please provide full details Are the chimneys fitted with spark arrestors and/or wire mesh Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please detail the surrounding area North East South West Fire breaks	If YES, please provide d	etails						
Does the building and/or lapa and/or braal area have one or more chimney(s) If YES, please provide full details Does the chimney penetrate the thatch roof YES NO If YES, please provide full details Are the chimneys fitted with spark arrestors and/or wire mesh Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please detail the surrounding area North East South West Fire breaks								
Does the building and/or lapa and/or braal area have one or more chimney(s) If YES, please provide full details Does the chimney penetrate the thatch roof YES NO If YES, please provide full details Are the chimneys fitted with spark arrestors and/or wire mesh Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please detail the surrounding area North East South West Fire breaks	0.							
Does the chimney penetrate the thatch roof YES NO If YES, please provide full details Are the chimneys fitted with spark arrestors and/or wire mesh YES NO Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Public liability and spread of fire risk Please detail the surrounding area North East South West Fire breaks			1/ 1		()			
Does the chimney penetrate the thatch roof If YES, please provide full details Are the chimneys fitted with spark arrestors and/or wire mesh Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) If YES, please provide full details Public liability and spread of fire risk Please detail the surrounding area North East South West Fire breaks	_			i area have one or more chimne	y(s) YES	NO		
Are the chimneys fitted with spark arrestors and/or wire mesh YES NO Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Public liability and spread of fire risk Please detail the surrounding area North East South West Fire breaks	If YES, please provide fu	ıll details	·					
Are the chimneys fitted with spark arrestors and/or wire mesh YES NO Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Public liability and spread of fire risk Please detail the surrounding area North East South West Fire breaks								
Are the chimneys fitted with spark arrestors and/or wire mesh Are the chimneys maintained on a regular basis YES NO If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) YES NO If YES, please provide full details Public liability and spread of fire risk Please detail the surrounding area North East South West Fire breaks				OT .	YES	NO		
Are the chimneys maintained on a regular basis If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) If YES, please provide full details Public liability and spread of fire risk Please detail the surrounding area North East South West Fire breaks	If YES, please provide fu	ıll details	·					
Are the chimneys maintained on a regular basis If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) If YES, please provide full details Public liability and spread of fire risk Please detail the surrounding area North East South West Fire breaks		•••						
If YES, please provide full details Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) If YES, please provide full details Public liability and spread of fire risk Please detail the surrounding area North East South West Fire breaks								
Are there any fireplaces installed and are these fuelled by solid fuels (e.g. wood) If YES, please provide full details Public liability and spread of fire risk Please detail the surrounding area North East South West Fire breaks		YES	NO					
Public liability and spread of fire risk Please detail the surrounding area North East South West Fire breaks	if YES, please provide it	ılı detalis						
Public liability and spread of fire risk Please detail the surrounding area North East South West Fire breaks	Are there any firentage	- installa	d and are t	hasa fuallad by salid fuals (a.g.	wood) VEC	NO		
Public liability and spread of fire risk Please detail the surrounding area North East South West Fire breaks		wood) 1E3	NO					
Please detail the surrounding area North East South West Fire breaks	ii YES, piease provide it	ili detalis	·					
Please detail the surrounding area North East South West Fire breaks								
North East South West Fire breaks	Public liability and spre	ead of fir	e risk					
East South West Fire breaks	Please detail the surrou	ınding ar	ea					
South West Fire breaks	North							
South West Fire breaks	Fast							
West Fire breaks								
Fire breaks	South							
Fire breaks	West							
Access by the public	Fire breaks							
	Access by the public							
	, 6 6 6 6 6 6							



Is LP Gas used o	on the premises		YES	NO			
If YES, please provide full details of installation							
Is the installation compliant with relevant SANS requirements YES NO							
If YES, please pr	ovide full details						
Is the property	Is the property surrounded by Fynbos within a 100 metre radius YES NO						
If YES, please pr	ovide full details						
Is the building p	resently under construction	Maintenance	YES	NO	Alterations	YES	NO
		Building construction	YES	NO	Other	YES	NO
If YES, please pr	ovide an overview						
-							
Utilities							
Power Surge	Main DB						
Protection	Sub DBs						
	Gate motor						
	Pool pump						
	Computers						
Flood subsider	oce and landslin						
Flood, subsidence and landslip What is the proximity of the premises to the closest body of water							
	water, i.e. dam, river, ocean						
Type of body of	water, ner dam, men, decan						
Have there bee	n any cases of flood, subside	nce or landslip at the premise	s or in t	he immedia	ate neighbourhood	YES	NO
Have there been any cases of flood, subsidence or landslip at the premises or in the immediate neighbourhood YES NO If YES, please provide full details and cost of damage							
,, ,							
Are there rivers	/watercourses in close proxi	mity YES	NO				
If YES, please pr	ovide full details						
Coourity, mucoca	tions of the main residence						
						YES	NO
Are all opening windows burglar-barred Does any outhwilding or garage adjoining the residence have an inter-leading door.						YES	NO
Does any outbuilding or garage adjoining the residence have an inter-leading door If YES, is this door protected by an alarm or security gate						YES	NO
Are external access doors fitted with security gates						YES	NO
Are external access doors fitted with security gates Are external sliding doors fitted with security gates or frame-mounted key-operated locking bolts							NO
Is the property situated in a high-security complex (i.e. is the perimeter of your property walled/fenced with a							NO
wall or steel fence of at least 1.8 m in height with electric fencing, alarmed and linked to either 24-hour armed- response service or a guardhouse)							110
Are there full-time security guards on your property							NO
Is the residence protected with an approved alarm system linked to a 24-hour control room with armed response						YES	NO
If VEC attach do	sumantary proof from sorvi	aa maadidan					



Photos of the risk required please

- 1. The surrounding area of the buildings and perimeter of risk, including gardens, vegetation, bush and trees which overhangs or comes into contact with the thatch.
- 2. Interior of buildings, including kitchen and loft areas, fireplaces and braai areas.
- 3. Exterior of buildings.
- 4. Thatch roofing which clearly shows the construction, condition, pitch and interior thereof and any chimneys and braai areas.
- 5. The LPG installation.
- 6. Any maintenance related condition in respect of the property.
- 7. Any other photos of the risk which are deemed necessary to adequately portray the risk.

DISCLOSURE AND DECLARATION

Disclosure: You are reminded of your obligation to disclose all material facts that are likely to affect the acceptance or assessment of this insurance. If you are in any doubt as to what constitutes a material fact, please consult your broker or The Hollard Insurance Company Ltd. Failure to disclose or misrepresentation of relevant facts, may invalidate your insurance or result in it not operating fully.

Declaration: I declare that the information supplied in this questionnaire is, to the best of my knowledge and belief, correct and complete and that I have read the note headed "Disclosure". I agree to obtain a geo-technical survey at my own cost, should the company require one. I understand that subsidence and landslip cover will not be effective until The Hollard Insurance Company Ltd has accepted both the proposal form and this questionnaire. I agree that the completed proposal form and questionnaire will be the basis of the contract between The Hollard Insurance Company Ltd and myself.

CREDIT RATING CH	СК		
May we perform a credit rating check to assist with rating, underwriting and	YES	NO	
Signature	Date (DD/MM/YYYY)		